

SOLAR LIGHT_s FAMILY

- SOLAR STREET LIGHT
- SOLAR GARDEN LIGHT
- SOLAR FLOOD LIGHT
- SOLAR CHARGEABLE LIGHT




WeChat



WhatsApp



Battery Replaceable



VS-SFL-A

PRODUCT NAME	SOLAR FLOOD LIGHT			
MODEL NO.	VS-SFL-A06	VS-SFL-A10	VS-SFL-A20	VS-SFL-A30
POWER	60W	100w	200w	300w
BATTERY	3.2V 6AH	3.2V 12AH	3.2V 18AH	3.2V 30AH
SOLAR PANEL	Mono 5V 6W	Mono 5V 15W	Mono 5V 20W	Mono 5V 30W
LUMEN FLUX	600-700lm	1000-1100lm	1600-1700lm	2600-2700lm
LED QUANTITY	SMD5054*15Pcs	SMD5054*24Pcs	SMD5054*48Pcs	SMD5054*104Pcs
LASTING HOURS	10-16 hours			
CCT	Cold White (Support customize warm white)			
WORKING MODE	Remote Control+Light Sensor (Also Support Customize)			
MATERIAL/COLOR	Aluminum Body + Glass Cover / Sand gray			
LAMP SIZE	170*180*48mm	200*240*48mm	230*280*48mm	320*350*48mm
PANEL SIZE	205*200*17mm	390*235*17mm	390*300*17mm	390*450*17mm
WARRANTY	2 years (Support 3 / 5 years customize)			


PRIVATE Mold

New Solar Flood Light

ALUMINUM Housing, MONO Solar Panel



VS-SFL-B



PRODUCT NAME	PRIVATE SOLAR FLOOD LIGHT		
MODEL NO.	VS-SFL-B06	VS-SFL-B10	VS-SFL-B20
POWER	60W	100W	200W
BATTERY	3.2V 11AH Lithium	3.2V 16.5AH Lithium	3.2V 22AH Lithium
SOLAR PANEL	Mono 5V 15W	Mono 5V 20W	Mono 5V 25W
LUMEN FLUX	800-900lm	1200-1300lm	1500-1600 lm
LED QUANTITY	SMD5730*90pcs	SMD5730*132pcs	SMD5730*270pcs
LASTING HOURS	10-12 hours		
CCT	Cold White (Support customize warm white)		
WORKING MODE	Intelligent Light Control, Remote Control, Time Control (Support Customize)		
MATERIAL/COLOR	Die-casting Aluminum Body + Glass Cover / Sand Grey		
LAMP SIZE	230*195*50mm	260*220*60mm	307*255*75mm
PANEL SIZE	390*235*17mm	390*300*17mm	390*375*17mm
WARRANTY	2 years (Support 3 / 5 years customize)		

NEW DESIGN

Private Solar Flood Light

200w / 300w / 400w

Simple & Unique Design



VS-SFL-E

PRODUCT NAME	PRIVATE SOLAR FLOOD LIGHT		
MODEL NO.	VS-SFL-E20	VS-SFL-E30	VS-SFL-E40
POWER	200W	300w	400w
BATTERY	3.2V 16.5AH Lithium	3.2V 27AH Lithium	3.2V 33AH Lithium
SOLAR PANEL	Mono 5V 25W	Mono 5V 30W	Mono 5V 40W
LUMEN FLUX	1500-1600 lm	2200-2300lm	3200-3400lm
LED QUANTITY	SMD5730*66pcs	SMD5730*132pcs	SMD5730*180pcs
LASTING HOURS	10-16 hours		
CCT	Cold White (Support customize warm white)		
WORKING MODE	Intelligent Light Sensor + Remote Control (Also Support Customize)		
MATERIAL/COLOR	Die-casting Aluminum Body + PC Lens / Sand Grey		
LAMP SIZE	235*182*46mm	291*235*46mm	347*265*46mm
PANEL SIZE	390*300*17mm	390*450*17mm	390*590*17mm
WARRANTY	2 years (Support 3 / 5 years customize)		

Chargeable, Portable

R.G.B. Portable Flood Light

RGB, Cold /Warm/Neutral White

USB Charging port



VS-SCP-A



PRODUCT NAME	SOLAR CHARGING PORTABLE LIGHT	
MODEL NO.	VS-SCP-A10	VS-SCP-A20
POWER	100W	200W
BATTERY	3.7V 6.6AH Lithium	3.2V 8.8AH Lithium
SOLAR PANEL	6V 1.5W	6V 2W
LUMEN FLUX	1200-1400lm	1400-1600lm
LED QUANTITY	SMD5730 *160pcs	SMD5730 *288pcs
LASTING HOURS	10-16 hours	
CCT	Cold / Warm / Neutral White, Red & Blue Flash	
WORKING MODE	Light Sensor (Support Customize)	
MATERIAL/COLOR	ABS Lamp Body + Glass Cover / Orange	
LAMP SIZE	175*150*50mm	215*170*50mm
WARRANTY	2 years (Support 3 / 5 years customize)	

For Main Street

Die-casting Solar Street Lights

300w/400w/500w/600w/700w/800w/900w/1000w

Max Install Height: **12-14** meters



VS-CDS-B

PRODUCT NAME	All IN ONE SOLAR STREET LIGHT				
MODEL NO.	VS-CDS-B30	VS-CDS-B40	VS-CDS-B60	VS-CDS-B90	VS-CDS-B100
POWER	300W	400W	600W	900W	1000W
BATTERY	3.2V 48AH Lithium	3.2V 66AH Lithium	12.8V 24AH Lithium	12.8V 42AH Lithium	12.8V 48AH Lithium
SOLAR PANEL	Mono 5V 60W	Mono 5V 80W	Mono 18V 80W	Mono 18V 150W	Mono 18V 200W
LUMEN FLUX	2300lm	3000lm	4600lm	8400-8500lm	9200-9500lm
LED TYPE	SMD3030LEDs			SMD5050LEDs	
LED QUANTITY	102pcs*3 modules	102pcs*4 modules	102pcs*4 modules	72pcs*2 modules	72pcs*4 modules
BEAM ANGLE	120°				
LIGHTING AREA	150-200 m ²	200-250 m ²	250-300 m ²	350-400 m ²	144-450 m ²
INSTALL HEIGHT	5-6m	6-7m	7-8m	10-12m	12-14m
LASTING HOURS	10-16 hours				
CCT	Cold White (Support customize warm white)				
WORKING MODE	Light Sensor for regular, Also Support Remote Control / Time Control for option OR Customize				
MATERIAL/COLOR	Die-casting Aluminum Body + PC Lens / Sand Grey				
LAMP SIZE	475*50*750mm	475*50*940mm	475*50*940mm	690*50*1200mm	690*50*1577mm
WARRANTY	2 years for regular (Support 3 / 5 years customize)				

Aluminum, Good Price

Project Solar Street Light

300w / 400w / 500w

Max Install Height: **6-7** meters



VS-CDS-E

PRODUCT NAME	PROJECT SOLAR STREET LIGHT		
MODEL NO.	VS-CDS-E30	VS-CDS-E40	VS-CDS-E50
POWER	300W	400W	500W
BATTERY	3.2V 33AH Lithium	3.2V 40AH Lithium	3.2V 50AH Lithium
SOLAR PANEL	Mono 4.5V 40W	Mono 4.5V 50W	Mono 4.5V 53W
LUMEN FLUX	1760-1870lm	2200-2310lm	2750-2860lm
LED QUANTITY	SMD3030 *102pcs*3 modules	SMD3030 *102pcs*4 modules	SMD3030 *102pcs*5 modules
BEAM ANGLE	120°		
LIGHTING AREA	120-150 m ²	150-200 m ²	200-250 m ²
INSTALL HEIGHT	4-5m	5-6m	6-7m
LASTING HOURS	10-16 Hours		
CCT	Cold White (Support customize warm white)		
WORKING MODE	Light Sensor, Time Control, Radar Induction, Also Support: Remote Control / Customize for option		
MATERIAL/COLOR	Die-casting Aluminum Body + PC Lens / Sand Grey		
LAMP SIZE	703*365*87mm	810*365*87mm	916*365*87mm
WARRANTY	2 years (Support 3 / 5 years customize)		

ALL IN ONE



VS-CDS-C

PRODUCT NAME	PROJECT SOLAR STREET LIGHT				
MODEL NO.	VS-CDS-C04	VS-CDS-C05	VS-CDS-C06	VS-CDS-C07	VS-CDS-C10
POWER	400W	500W	600W	700W	1000W
BATTERY					
SOLAR PANEL					
LUMEN FLUX					
LED TYPE	SMD3030 / 2835LEDs				
LED QUANTITY	56 / 90Pcs				
BEAM ANGLE	80*180°				
LIGHTING AREA					
INSTALL HEIGHT					
LASTING HOURS	10-16 Hours				
CCT					
WORKING MODE	Support Remote Control / Time Control for option OR Customize				
MATERIAL/COLOR	Die-casting Aluminum Body + PC Lens / Silver				
LAMP SIZE	663*376*45mm	806*376*45mm	1040*376*45mm	1218*376*45mm	1502*440*45mm
WARRANTY	2 years (Support 3 / 5 years customize)				

ABS Solar Street Light Light

30w / 60w / 90w / 120w / 150W

For Channel Wholesale

Cheap, Wholesale



VS-CDS-A




PRODUCT NAME	ABS SOLAR STREET LIGHT				
MODEL NO.	VS-CDS-A03	VS-CDS-A06	VS-CDS-A09	VS-CDS-A12	VS-CDS-A15
POWER	30W	60W	90W	120W	150W
BATTERY	3.2V 4.5AH Lithium	3.2V 5.5AH Lithium	3.2V 9AH Lithium	3.2V 12AH Lithium	3.2V 15AH Lithium
SOLAR PANEL	Poly 6V 6W	Poly 6V 8W	Poly 6V 12W	Poly 6V 16W	Poly 6V 18W
LUMEN FLUX	300-400lm	600-700lm	800-900lm	1000-1100lm	1300-1400lm
LED QUANTITY	SMD5730*56pcs*1	SMD5730*56pcs*2	SMD5730*56pcs*3	SMD5730*56pcs*4	SMD5730*56pcs*5
BEAM ANGLE	120°				
LIGHTING AREA	30-40 m ²	60-80 m ²	80-100 m ²	100-120 m ²	100-120 m ²
INSTALL HEIGHT	3m	4m	4-5m	5m	6m
LASTING HOURS	10-16 hours				
CCT	Cold White (Support customize warm white)				
WORKING MODE	Light Control + Remote Control + Radar Induction (People come 100% bright, People go 10% bright)				
MATERIAL/COLOR	ABS Lamp Body + PC Lens / Black				
LAMP SIZE	390*190*55mm	480*220*55mm	620*240*55mm	720*240*55mm	820*240*55mm
WARRANTY	2 years (Support 3 / 5 years customize)				

Super Bright PLUS

High-end Project Solar Street Light

800w / 900w / 1000w / 1200w / 1300w / 1400w

Max Install Height: **15** meters



VS-SSL-K

PRODUCT NAME	SUPER BRIGHT SOLAR STREET LIGHT					
MODEL NO.	VS-SSL-K08	VS-SSL-K09	VS-SSL-K10	VS-SSL-K12	VS-SSL-K13	VS-SSL-K14
POWER	800W	900W	1000W	1200W	1300W	1400W
BATTERY	12.8V40AH Lithium	12.8V50AH Lithium	12.8V 60AH Lithium	12.8V 80AH Lithium	25.6V 60AH Lithium	25.6V 80AH Lithium
SOLAR PANEL	Mono 18V 100W	Mono 18V 120W	Mono 18V 150W	Mono 18V 200W	Mono 36V 300W	Mono 36V 400W
LUMEN FLUX	4440-4560lm	6000-6240lm	7680-7800lm	9000-9120lm	10400lm	13000lm
LED QUANTITY	SMD3030*150pcs			SMD3030*200pcs		
BEAM ANGLE	120°					
INSTALL HEIGHT	8-9m	10-11m	11-12m	12-14m	12-15m	12-15m
LASTING HOURS	10-16 hours					
CCT	Cold White (Support customize warm white)					
WORKING MODE	Light Sensor, Also Support: Remote Control / Time Control / Customize for option					
MATERIAL/COLOR	Profiled Aluminium Body + PC Lens / Grey, Black					
LAMP SIZE	530*235*100mm			641*300*90mm		
PANEL SIZE	590*770*30mm	770*875*30mm	770*1075*30mm	590*770*30mm *2pcs	670*1075*30mm *2pcs	770*1405*30mm *2pcs
WARRANTY	2 years (Support 3 / 5 years customize)					

Project ONLY

Solar Street Light For Project

100w / 200w / 300w

Thick & heavy **Project Appearance**



VS-SSL-I

PRODUCT NAME	SPLIT PROJECT SOLAR STREET LIGHT		
MODEL NO.	VS-SSL-I10	VS-SSL-I20	VS-SSL-I30
POWER	100W	200W	300W
BATTERY	3.2V 40AH Lithium	3.2V 45AH Lithium	3.2V 60AH Lithium
SOLAR PANEL	Poly 6V 50W	Poly 6V 60W	Poly 6V 80W
LUMEN FLUX	2800-3000lm	3200-3400lm	3900-4100lm
LED QUANTITY	SMD5054 *50pcs		
BEAM ANGLE	120°		
LIGHTING AREA	150-180 m ²	180-250 m ²	250-300 m ²
LASTING HOURS	10-16hours		
CCT	Cold White (Support customize warm white)		
WORKING MODE	Light Sensor, Also Support: Remote Control / Time Control / Customize for option		
MATERIAL/COLOR	Die-casting Aluminum Body + PC Lens / Grey		
LAMP SIZE	530*235*100mm		
PANEL SIZE	670*540*25mm	670*620*25mm	670*835*25mm
WARRANTY	2 years (Support 3 / 5 years customize)		

Hot Sales

Split Solar Street Lights

200w / 300w / 400w

Max lighting Area: **180-200** m²



VS-SSL-H


PRODUCT NAME	SPLIT SOLAR STREET LIGHT		
MODEL NO.	VS-SSL-H20	VS-SSL-H30	VS-SSL-H40
POWER	200W	300W	400W
BATTERY	3.2V 22AH Lithium	3.2V 27AH Lithium	3.2V 32AH Lithium
SOLAR PANEL	Mono 5V 25W	Mono 5V 30W	Mono 5V 40W
LUMEN FLUX	2200-2300lm	2600-2700lm	3200-3400lm
LED QUANTITY	SMD5054 *50pcs		
BEAM ANGLE	120°		
LIGHTING AREA	80-100 m ²	120-140 m ²	180-200 m ²
INSTALL HEIGHT	3-4m	4-5m	5-6m
LASTING HOURS	10-16 hours		
CCT	Cold White (Support customize warm white)		
WORKING MODE	Light Sensor, Remote Control, Also Support: Time Control / Customize for option		
MATERIAL/COLOR	Die-casting Aluminum Body + Glass Cover / Sand Grey		
LAMP SIZE	490*210*65mm		
PANEL SIZE	390*375*17mm	390*450*17mm	390*590*17mm
WARRANTY	2 years (Support 3 / 5 years customize)		

WIDE ANGLE

NEW Solar Street Lights

300w / 400w / 500w

2 / 3 Emitting Direction



VS-SSL-J


PRODUCT NAME	NEW SPLIT SOLAR STREET LIGHT		
MODEL NO.	VS-SSL-J30	VS-SSL-J40	VS-SSL-J50
POWER	300W	400W	500W
BATTERY	3.2V 27.5AH Lithium	3.2V 33AH Lithium	3.2V 44AH Lithium
SOLAR PANEL	Mono 5V 30W	Mono 5V 40W	Mono 5V 50W
LUMEN FLUX	2640lm	3120lm	3840lm
LED QUANTITY	SMD5054 *46pcs		SMD5054 *60pcs
BEAM ANGLE	90°		
LIGHTING AREA	120-140 m ²	180-200 m ²	200-250 m ²
INSTALL HEIGHT	4-5m	5-6m	5-6m
LASTING HOURS	10-16 hours		
CCT	Cold White (Support customize warm white)		
WORKING MODE	Light Sensor, Remote Control, Also Support: Time Control / Customize for option		
MATERIAL/COLOR	Die-casting Aluminum Body + PC Lens / Sand Grey		
LAMP SIZE	510*215*80mm		590*220*90mm
PANEL SIZE	390*450*17mm	390*590*17mm	390*730*25mm
WARRANTY	2 years (Support 3 / 5 years customize)		

HOT, FOR GARDEN

Solar Garden POST Lights

300W, Support MOSTION SENEOR

MOST POPULAR IN 2023



MODEL A: CLASSIC



MODEL B: UPGRADED


VS-SGL-A/B

PRODUCT NAME	SOLAR GARDEN POST LIGHT	
MODEL NO.	VS-SGL-A30	VS-SGL-B30
POWER	300W	300W
BATTERY	3.2V 15AH Lithium	3.2V 16.5AH Lithium
SOLAR PANEL	Poly 6V/20W	Poly 6V/20W
LUMEN FLUX	1100-1200lm	1300-1400lm
LED QUANTITY	SMD5730 *504pcs	SMD5730 *780pcs
BEAM ANGLE	120°	
LASTING HOURS	10-16 hours	
CCT	Cold White (Support customize warm white)	
WORKING MODE	Light Control+Remote Control + Time Control +Radar Induction (Also Support Customize)	
Pole	3m Pole for option (Standard package & Quotation NOT include the pole, Need buy additionally)	
HOLDER DIAMETER	75mm	
MATERIAL/COLOR	ABS Lamp body + Transparent PC Cover / black	
LAMP SIZE	550*550*65mm	
PANEL SIZE	350*420mm	
WARRANTY	2 years (Support 3 / 5 years customize)	

PATENT DESIGN

Solar Sensor Wall Light

5w, 4 models 1 series, all with back **L.I.G.H.T**, for building



VS-SWL-A



VS-SWL-B



VS-SWL-C




VS-SWL-D

VS-SWL-A/B/C/D

PRODUCT NAME	SOLAR SENSOR WALL LIGHT			
MODEL NO.	VS-SWL-A	VS-SWL-B	VS-SWL-C	VS-SWL-D
POWER	1.8W	5W	1W	3.5W
LUMEN/W	150 lm/w			
LED Type	COB / SMD2835			
BEAM ANGLE	120°			
C.R.I.	70-80Ra			
HOUSING COLOR	Black / White		Black / Gray	Black / Gray / White
LAMP SIZE	L137*W96*H85 mm	L210*W116*H80 mm	L144*W47*H44 mm	L220*W109*H45 mm
NET WEIGHT	0.23kg	0.48kg	0.16kg	0.22kg
WARRANTY	2 years (Support 3/5 years customize)			



OUR QUALITY CONTROL




OUR EXPORT DEPT.



OUR PRODUCTION



PROJECT CASES







PROJECT CASES



VIKSTARS CO., LIMITED

• SINCERITY • FOCUS • PRACTICE

   0086-153 0279 7126

 0086-755-23311856-666

 vs605@vikstars.com

 www.vikstarsgroup.com



WeChat



WhatsApp

MARKETING CENTER

1303, Building D, No 1, Fuyuan Trade Building, Chuangye
West Road Southeast Side, Xinan, Baoan District, Shenzhen, China

MANUFACTURING BASE

4/F, Building-E1, No. 460, East coast North RD,
Haizhou, Zhongshan city, Guangdong Province, China

**PS: We can customize this E-catalog with your LOGO & Company name,
If need, pls contact our sales people.**



VIKSTARS[®]
Quality • Innovation